# PubMed My NCBI: Preferences & Filters (個人化設定)

一、 註冊/登入帳號



注意! 登入個人帳號後,透過成大專屬網址之找全文路徑 Findit@NCKU)與快篩 Filters,將以您的個人 設定為效果,因此強烈建議您將適用項目設定在您的帳號下 (尤其是 Findit@NCKU,請參考:三、Preferences 偏好設定)

### 二、Filters 專屬快篩

### 1. 點選帳號名稱,選擇 Dashboard

	NIH National Library of Medicine National Center for Biotechnology Information		×
		Logged in as: nckulib	
2.	找到 Filters 區塊,點選 <u>Manager Filters &gt;&gt;</u>	Dashboard Publications Account settings	
	NIH National Library of Medicine National Center for Biotechnology Information	Log out	

## **My NCBI**

Search NCBI databases		Filters		
Search : PubMed •		Filters for: PubMed (15 active)		
	Search	Active Name		Туре
Lint: aliaking the "Correly" butter without any terms listed in the search have	ill transport you to	Image: Second	e 🔅	Custom
that database's homepage.	in transport you to	Guideline	•	Custom
		Systematic Review	•	Custom
		Scochrane Review	•	Custom
My Bibliography	▲ X	EBM Unfiltered Resour Therapy-RCT	0	Custom
Your bibliography contains <u>2 items</u> .		Therapy-Clinical Trial	•	Custom
Your bibliography is private.	Diblicaceable	Diagnosis	•	Custom
Manage My I	Bibliography »	Prognosis	•	Custom
Pecent Activity		Etiology	•	Custom
Accont Activity		Costs	0	Custom
Time Database Type Term			-	
11:29 PM MeSH record <u>Clinical Decision-Making</u>			Manag	<u>je Filters »</u>

Customize this page | NCBI Site Preferences | Video Overview | Help

### 3. Filters 分為內建與客製化(Customer Filter)兩大類

#### 3-1. 內建 Filters

ICBI » I	Filters						<u>Filters</u>
	You are m	anagin	ig filters f	or: PubMed	Choose	another database: P	ubMed (15 active) ▼
Your F	PubMed filter list	(	Create cu	stom filter	Brow	se/Search for Pub	Med Filters
Active	Name		Туре		Select o	ateg <b>』</b> 熱門選	項
	## EBM Filter Resour ##	0	Custom	delete		Popular     CinkOu	t OProperties Links
	EBM Filtered Resour ACP J + EBM J + DARE	0	Custom	delete	Search	with terms (optional):	
•	Systematic Review	•	Custom	delete			Search
	>> Cochrane Review	0	Custom	delete	Active	Name	Description
	## EBM Unfilter Resour ##	0	Custom	delete		Clinical Trial	
•	EBM Unfiltered Resour Therapy-RCT	•	Custom	delete		English	
•	Therapy-Clinical Trial	•	Custom	delete		English & Humans	links to Web accessible full text articles (all available free
•	Diagnosis	0	Custom	delete		Free Full Text	charge)
•	Prognosis	•	Custom	delete		Full Text	links to Web accessible full text articles (some may requir
•	Etiology	¢	Custom	delete		Humans	autocription/
	A4-	-		•		Items with Abstracts	
						Published in the last 5 years	
						Review	articles that review the literature on a subject

#### 2 外連服務選項



# 3-2. 客製化 Filters

My NCBI » Filters

			-	Z <del>⋣ ,``</del>				_
		You are m	nanagir	ng filters f	or: PubMe	Choose another database:	PubMed (15 active)	
	Your I	PubMed filter list	C	Create cu	ustom h	Browse/Search for P	ubMed Filters	
	Active	Name		Туре		Add Custom Filter in	PubMed	×
		## EBM Filter Resour ##	•	Custom	delete			
		EBM Filtered Resour ACP J + EBM J + DARE	¢	Custom	<u>delete</u>	Supply query tern	ns to be used as a filter in PubMed:	
		Systematic Review	•	Custom	<u>delete</u>	Quaryterma		
		>> Cochrane Review	•	Custom	<u>delete</u>	Query terms.	"English"[] A] OB "Chinese"[] A]	
		## EBM Unfilter Resour ##	¢	Custom	<u>delete</u>	<b>Y</b>		
		EBM Unfiltered Resour Therapy RCT	0	Custom	delete	輸入	→例1:師選山央文祭中文	
		Therapy-Clinical Trial	0	Custom	<u>delete</u>	檢索語法:	"Lancet"[TA] OR "JAMA"[TA]	
		Diagnosis	¢	Custom	<u>delete</u>		→例 2:篩選出特定喜愛期刊	
		Prognosis	¢	Custom	<u>delete</u>		(EBM 快篩語法請參考下表)	
		Etiology	•	Custom	delete			1
		()					Test This Ouerve ④ 測試語法	· 若筆數為
	+							い
⑦ 確認	Acti	ve 選項是否要啟動				<b>3</b> 命名·	(See number of results) 日本の通知	, "哈哈"。 海洋正確性
교내	(田句			5		Save filter as:	·····································	
此區	门回后		.3 坝	Ę				
勾選	順序即	同為在 PubMed 畫面呈現順序				Cana		
(即先	勾選	先排序)				Cance	Save Filter In 15	

Filters help

### ↓ 3 在 PubMed 任意檢索 · 即可看到設定效果

Pub Med.gov		成大醫圖 EBM 快篩語法					
Advanced Create alert Create RSS	Save Email	勾選順序	Save filter as 命名	Query terms 檢索語法			
All (731)     73       All (731)     73       ACP J + EBM Filtered Resour     73       Guideline (22)     5       Systematic Review (39)     60       > Cochrane Review (1)     73       EBM Unfiltered Resour     5h       TherapyRCT (42)     73       TherapyRCT (42)     73       Prognosis (178)     73       Prognosis (178)     73       SDM 醫病決策 (75)     75       研究例/傳明文章(741)     5h	Nationwide su     Cancer of unk     cancer of unk     Ishida K. Sato K. K     Shima Y. Miyashit     hare Support Care Can     PMID: 35484314     Exploring heal     Caregiving.     Cite Support Care Can hare PMID: 35701633	1	EBM Filtered Resour ACP J + EBM J + DARE	"ACP journal club"[Journal] OR "evidence based cardiovascular medicine"[Journal] OR "evidence based complementary and alternative medicine ecam"[Journal] OR "evidence based dentistry"[Journal] OR "evidence based medicine"[Journal] OR "evidence based mental health"[Journal] OR "evidence based nursing"[Journal]			
NCKU Publications (4) 尚無 MeSH (新進/加工中) (69)	<b>End</b> -of- <b>life</b> ca	2	Guideline	guideline[mh] OR guideline*[ti]			
最佳化快篩僅供參考,仍須再判 斷。需客製化請設定MyNCBI或 洽成大醫圖(0)	3 Ananth P, Lindsay Cite Pediatr Blood Can PMID: 35686746 hare	3	Systematic Review	systematic[sb] OR meta-analysis[pt] OR "cochrane database syst rev"[Journal]			
		4	>> Cochrane Review	"cochrane database syst rev"[Journal]			
		5	EBM Unfiltered Resour Therapy·RCT	(randomized controlled trial[pt] OR ((randomized[tiab] OR randomised[tiab]) AND controlled[tiab] AND (trial[tiab] OR study[tiab]))) 粗體字是有別於 PubMed Clinical Queries 原始語法			
		6	Therapy-Clinical Trial	Therapy/Broad[Filter]			

諮詢請洽:成大醫圖 方靜如 flora@ncku.edu.tw 分機#5155 (2022-6-20 更新)

7	Diagnosis	diagnosis/broad[filter]
8	Prognosis	prognosis/broad[filter]
9	Etiology	etiology/broad[filter]
10	Costs	"costs and cost analysis"[mesh] OR costs[tiab] OR cost effective*[tiab]
11	SDM 醫病決策	"shared decision making" OR "sharing decision making" OR "share decision making" OR "shared decisionmaking" OR SDM OR "Decision Making, Shared"[mh] OR Decision Making [mh:noexp] OR "informed decision- making" OR "Patient Participation"[mh] OR "Patient Preferences"[mh] OR "Professional-Patient Relations"[mh 灰字是相關性較弱的,可考慮放/不放
12		Asiatamini (b) CR knysztartius) CR hijkisartius) CR furknenski militalij CR uzkvištani (b) CR kuvaittius) CR hijkisartius) CR hijkisartius) CR hijkisartius) CR knysztartius) CR
13	尚無 MeSH (新進/加工中)	inprocess[sb] OR publisher[sb] OR pubmednotmedline[sb]
14	NCKU Publications	cheng kung univ*[ad]
15	最佳化快篩僅供參考,仍須自行判 斷實證等級。需客製化請設定 MyNCBI或洽圖書館	"justnotes"
其他	Qualitative	interview*[tiab] OR interviews[mesh:noexp] OR experience*[tw] OR qualitative[tiab]

- 三、Preferences 偏好設定 (含找全文路徑)
- 1. 點選帳號名稱,選擇 Account setting



### 2. 移到此網頁下方,點選 Click here to access the NCBI Site Preferences page

NCBI Account Settings	
NCBI Site Preferences	
Click here to access the NCBI Site Preference page.	

3. 移到此網頁下方,點選 Click here to access the NCBI Site Preferences page

Common Preferences		Select which satting you would like to chare
Username	nckulib	Shere Filter settings
<u>Highlighting</u>	Bold	Share Highlight settings
Shared Settings	Highlighting, Outside Tool, Filters	
PubMed Preferences		當您打勾開啟時·表不他人可以透過結
Filters & Icons	EBM Filtered Resour ACP J + EBM J + DA	合您帳號的專屬網址看到各項設定,可
Publications, 尚無 MeSH (新進/力	Therapy-RCT, Therapy-Clinical Trial, Diagnosis, Pro 1工中),	供合作小組使用
Outside Tool	Findit@NCKU	
Author information	Off	₿ 專屬網址
Result Display Settings	Summary	https://pubmed.ncbi.nlm.nih.gov/?myncbishare=
		PubMed Username
		例成大:https://pubmed.ncbi.nlm.nih.gov/?myncbishare= <mark>nckulib</mark>
My NCBI » Outsi	ie Tool Preferences	例成大:https://pubmed.ncbi.nlm.nih.gov/?myncbishare= <mark>nckulib</mark>
▶ My NCBI » Outsid 文路徑 An institution m	le Tool Preferences iy use <u>Outside tool</u> to create a link on all PubMed citations to its local servic	例成大:https://pubmed.ncbi.nlm.nih.gov/?myncbishare= <mark>nckulib</mark>
→ My NCBI » Outsie 文路徑 スパの中は1000001	le Tool Preferences iy use <u>Outside tool</u> to create a link on all PubMed citations to its local servic iion to activate their Outside Tool. You may select up to five institutions. Ple	例成大:https://pubmed.ncbi.nlm.nih.gov/?myncbishare= <mark>nckulib</mark> ce. ase contact your institution for an explanation of its service.
▶ My NCBI » Outsid 文路徑 子/紙本/館際申請) Selected tool(s)	le Tool Preferences ry use <u>Outside tool</u> to create a link on all PubMed citations to its local servic tion to activate their Outside Tool. You may select up to five institutions. Ple <u>Findit@NCKU</u> <u>clear all</u>	例成大:https://pubmed.ncbi.nlm.nih.gov/?myncbishare= <mark>nckulib</mark> ce. ase contact your institution for an explanation of its service.
文路徑 子/紙本/館際申請) Selected tool(s)	le Tool Preferences ay use <u>Outside tool</u> to create a link on all PubMed citations to its local service tion to activate their Outside Tool. You may select up to five institutions. Ple <u>Findit@NCKU</u> clear all : D E F G H I J K L M N O P	例成大:https://pubmed.ncbi.nlm.nih.gov/?myncbishare=nckulib se. ase contact your institution for an explanation of its service. Q R S T U V W X Y Z Show All
文路徑 子/紙本/館際申請) Select at institu ● Findit( ● Findit(	le Tool Preferences y use <u>Outside tool</u> to create a link on all PubMed citations to its local servic tion to activate their Outside Tool. You may select up to five institutions. Ple <u>Findit@NCKU</u> clear all <u>Clear all</u> <u>AngeloState website</u>	例成大:https://pubmed.ncbi.nlm.nih.gov/?myncbishare=nckulib re. asee contact your institution for an explanation of its service.
文路徑 子/紙本/館際申請) Selected tool(s) ▲ B ● Findit( ● Findit( ● Findit(	le Tool Preferences av use <u>Outside tool</u> to create a link on all PubMed citations to its local servic tion to activate their Outside Tool. You may select up to five institutions. Ple <u>Findit@NCKU</u> <u>clear all</u> D E F G H I J K L M N O P @AngeloState - <u>website</u> @CUHK Library	例成大:https://pubmed.ncbi.nlm.nih.gov/?myncbishare=nckulib ce. ase contact your institution for an explanation of its service.
文路徑 子/紙本/館際申請) Select an institution m Select an institution m Select an institut 情) Selected tool(s) ▲ B ● Findit( ● Findit( ● Findit(	le Tool Preferences y use <u>Outside tool</u> to create a link on all PubMed citations to its local servic tion to activate their Outside Tool. You may select up to five institutions. Ple <u>Findit@NCKU</u> <u>clear all</u> : D E F G H I J K L M N O P @AngeloState - <u>website</u> @CUHK Library @Greenwich - <u>website</u>	例成大:https://pubmed.ncbi.nlm.nih.gov/?myncbishare=nckulib ce. ase contact your institution for an explanation of its service.
文路徑 子/紙本/館際申請) Selected tool(s) ▲ B ● Findit( ● Findit( ● Findit( ● Findit( ● Findit(	le Tool Preferences ay use <u>Outside tool</u> to create a link on all PubMed citations to its local servic tion to activate their Outside Tool. You may select up to five institutions. Ple <u>Findit@NCKU</u> <u>clear all</u> : D E F G H I J K L M N O P @AngeloState - <u>website</u> @CUHK Library @Greenwich - <u>website</u> @MCR	例成大:https://pubmed.ncbi.nlm.nih.gov/?myncbishare=nckulib ce. ase contact your institution for an explanation of its service.
文路徑 子/紙本/館際申 詩) Selected tool(s) A B Findit Findit Findit Findit	le Tool Preferences y use <u>Outside tool</u> to create a link on all PubMed citations to its local servic tion to activate their Outside Tool. You may select up to five institutions. Ple <u>Findit@NCKU</u> clear all D E F G H I J K L M N O P @AngeloState - <u>website</u> @CUHK Library @Greenwich - <u>website</u> @MCR @MULibraries - <u>website</u>	例成大:https://pubmed.ncbi.nlm.nih.gov/?myncbishare=nckulib ce. ase contact your institution for an explanation of its service.
文路徑 子/紙本/館際申請) Selected tool(s) ▲ B Findit ● Findit ● Findit ● Findit	le Tool Preferences y use <u>Outside tool</u> to create a link on all PubMed citations to its local servic tion to activate their Outside Tool. You may select up to five institutions. Ple <u>Findit@NCKU</u> clear all D E F G H I J K L M N O P @AngeloState - <u>website</u> @CUHK Library @Greenwich - <u>website</u> @MCR @MULibraries - <u>website</u> @NCKU	例成大:https://pubmed.ncbi.nlm.nih.gov/?myncbishare=nckulib se. ase contact your institution for an explanation of its service.
文路徑 子/紙本/館際申請) Selected tool(s) ▲ B Findit ● Findit ● Findit ● Findit ● Findit	le Tool Preferences  iy use <u>Outside tool</u> to create a link on all PubMed citations to its local servic tion to activate their Outside Tool. You may select up to five institutions. Ple <u>Findit@NCKU</u> clear all  D E F G H I J K L M N O P  @AngeloState - website @CUHK Library @Greenwich - website @MCR @MCR @MCR @SIRA	例成大:https://pubmed.ncbi.nlm.nih.gov/?myncbishare=nckulib se. ase contact your institution for an explanation of its service.